

ELECTROMAGNET SEPARATOR

TSS TYPE



T.H. ELEMA ENG. CO., LTD.

TEL : +82-31-498-9270-4
FAX : +82-31-498-9275

1.

2.

3.

4.

5.

6.

7.

8.

1.

DC 220 V ..

2.

, 가 가 .

3.

1)Rating :

2) : Class "C"

3) :

4)Control : Silicone Rectification, : DC 220 V

4.

"C" class ,

가 .

5.

1) (U,V,W) .

2) .

3) .

6.

. , .

1)

(1)

(2) () ,

(3) (STS 304)

2) CONVEYOR

(1) TENSION

45MM


(2) A A'

(3) 가 (↓)

(: 25 MM)

(4) 가 , (F)

(: 45MM)



7.

- 1) NFB ON . - 가 .
 - 2) LOCAL REMOTE .
 - 3) LOCAL
 - LOCAL ON .
 - , 가 .
 - 4) LOCAL
 - LOCAL OFF .
 - 5) LOCAL REMOTE
 - LOCAL OFF REMOTE ON .
 - 6) REMOTE LOCAL
 - REMOTE OFF LOCAL ON .
 - 7) 가 , 가 .
 - RESET .
 - 1) .
- (1)
- ◆ . 가 , .
 - ◆ . 가 , .
 - ◆ 가 , .

8.

1)

가

2)

3)

5 MΩ , 5 MΩ
5 MΩ ,